

# NATIONAL CHEMICAL LABORATORIES, INC.

### **SAFETY DATA SHEET**

	Section 1 - Identification			
Product Identifier	CITRUS-KLEEN Non Butyl / Heavy Duty Cleaner Degreaser			
Other means of identification	1095			
Recommended use	Alkaline cleaner.			
<b>Recommended restrictions</b>	For commercial and industrial use only.			
Manufacturer / Importer / Supplier / Distributor Information				
Company Name	National Chemical Laboratories of PA, Inc.			
Address	401 N. 10th Street - Philadelphia, PA 19123			
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			

#### Section 2 - Hazard(s) Identification

	Section 2 - Haza	ind(s) identification	
SDS Hazards an		ct. Refer to diluted SDS for Ready-To-Use Hazards	and Warnings.
	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Sensitization, skin	1	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
OSHA defined hazards	Not Classified.		
Label Elements			
Hazard Symbol			
Signal Word	Danger		
Hazard Statement	Causes severe skin burns and eye damage.	May cause an allergic skin reaction.	
Precautionary statement			
Prevention	•	ughly after handling. Contaminated work clothing m ive clothing/eye protection/face protection.	ust not be allowed out of the
Response	skin with water/shower. If inhaled: Remov cautiously with water for several minutes.	vomiting. If on skin (or hair): Take off immediately a e person to fresh air and keep comfortable for breat Remove contact lenses, if present and easy to do. Co n or rash occurs: Get medical advice/attention. Wash	hing. If in eyes: Rinse ontinue rinsing. Immediately
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordan	ce with local/regional/national/international regulat	ions.
Hazard(s) not otherwise classified (HNOC)	None known.		
	Section 3 - Composition	Information on ingredients	
Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Sodium Hydroxide	1310-73-2	1 - 5
	Sodium dimethylbenzenesulfonate	1300-72-7	1-5
	Orange Oil	8008-57-9	0.1 - 1
	Section 4 - Fi	rst-aid Measures	
Inhalation	Move to fresh air. Get medical attention if	irritation persists.	
Skin contact	0	ly and wash skin with soap and water. Call a physiciated by a physician. Wash contaminated clothing bef	•
Eye contact	Immediately flush eyes with plenty of wate Continue rinsing. Call a physician or poison	er for at least 15 minutes. Remove contact lenses, if control center immediately.	present and easy to do.

	5AF			
Ingestion	Call a physician or poison contr stomach content doesn't get ir		ately. Do not induce vo	omiting. If vomiting occurs, keep head low so that
Most Important symptoms /effects, acute and delayed	Burning pain and severe corros swelling, and blurred vision. Pe	-	-	mage. Symptoms may include stinging, tearing, redness ss could result.
Indication of immediate medical attention and special treatment		do not adhere to	affected area. Call an	nical burns: Flush with water immediately. While ambulance. Continue flushing during transport to
General Information	Ensure that medical personnel contaminated clothing before		material(s) involved, a	nd take precautions to protect themselves. Wash
	Section	5 - Fire-figh	nting measure	es a la companya de l
Suitable extinguishing media	Water fog. Foam. Dry chemica	powder. Carbon (	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an exti	nguisher, as this w	ill spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to	health may be for	rmed.	
Special protective equipment and precautions for firefighters	Self-contained breathing appar	atus and full prote	ective clothing must b	e worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area	ı if you can do it w	ithout risk.	
General fire hazards	No unusual fire or explosion ha	zards noted.		
Specific Methods	Use standard firefighting proce	dures and conside	er the hazards of other	r involved materials.
	Section 6 -	Accidental	release meas	sures
Personal precautions, protective equipment and emergency procedures.	and clothing during clean-up. [	Do not breathe mis e clothing. Ensure a	st or vapor. Do not tou adequate ventilation.	d of spill/leak. Wear appropriate protective equipment ich damaged containers or spilled material unless Local authorities should be advised if significant f the SDS
Methods and materials for containment and cleaning up	plastic sheet to prevent spread recovery, flush area with wate	aterial, if this is wi ling. Absorb in verı r. vrbent material (e.į	miculite, dry sand or e g. cloth, fleece). Clean	illed material, where this is possible. Cover with earth and place into containers. Following product surface thoroughly to remove residual see section 13 of the SDS.
	Avoid discharge into drains, wa			
Environmental precautions		ater courses or ont	to the ground.	
Environmental precautions	Section		to the ground.	e
Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities	Do not breathe mist or vapor. ventilation. Wear appropriate	<b>7 - Handlin</b> Do not get in eyes, personal protective	ng and storag on skin, or on clothin e equipment. Observe	e g. Avoid prolonged exposure. Provide adequate good industrial hygiene practices. rom incompatible materials (see Section 10 of the
Precautions for safe handling Conditions for safe storage,	Do not breathe mist or vapor. ventilation. Wear appropriate	7 - Handlin Do not get in eyes, personal protective al tightly closed co	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fi	g. Avoid prolonged exposure. Provide adequate e good industrial hygiene practices. rom incompatible materials (see Section 10 of the
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Occupational exposure limits	Do not breathe mist or vapor. ventilation. Wear appropriate Store locked up. Store in origin	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fi	g. Avoid prolonged exposure. Provide adequate e good industrial hygiene practices. rom incompatible materials (see Section 10 of the
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expe</b> Air Contaminants (29 CFR 1910.	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr rol/personal p Value	g. Avoid prolonged exposure. Provide adequate good industrial hygiene practices. rom incompatible materials (see Section 10 of the
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expe</b> Air Contaminants (29 CFR 1910.	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000)	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fi rol/personal p	g. Avoid prolonged exposure. Provide adequate e good industrial hygiene practices. rom incompatible materials (see Section 10 of the <b>rotection</b>
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expe</b> Air Contaminants (29 CFR 1910.	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type TWA	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr <b>rol/personal p</b> Value 2 mg/m <sup>3</sup>	g. Avoid prolonged exposure. Provide adequate e good industrial hygiene practices. rom incompatible materials (see Section 10 of the <b>rotection</b>
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va Component	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expo</b> Air Contaminants (29 CFR 1910. 10-73-2) alues	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type TWA Type	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr rol/personal p Value 2 mg/m <sup>3</sup> Value	g. Avoid prolonged exposure. Provide adequate e good industrial hygiene practices. rom incompatible materials (see Section 10 of the <b>rotection</b>
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expo</b> Air Contaminants (29 CFR 1910. 10-73-2) alues	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type TWA	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr <b>rol/personal p</b> Value 2 mg/m <sup>3</sup>	g. Avoid prolonged exposure. Provide adequate a good industrial hygiene practices. rom incompatible materials (see Section 10 of the rotection
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va Component	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expe</b> Air Contaminants (29 CFR 1910. 10-73-2) alues	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type TWA Type	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr rol/personal p Value 2 mg/m <sup>3</sup> Value	g. Avoid prolonged exposure. Provide adequate a good industrial hygiene practices. rom incompatible materials (see Section 10 of the rotection
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va Component Sodium Hydroxide (CAS 131	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Expe</b> Air Contaminants (29 CFR 1910. 10-73-2) alues	7 - Handlin Do not get in eyes, personal protective al tightly closed co osure contr 1000) Type TWA Type	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr rol/personal p Value 2 mg/m <sup>3</sup> Value	g. Avoid prolonged exposure. Provide adequate a good industrial hygiene practices. rom incompatible materials (see Section 10 of the rotection
Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Sodium Hydroxide (CAS 131 US. ACGIH Threshold Limit Va Component Sodium Hydroxide (CAS 131 US. NIOSH: Pocket Guide to C	Do not breathe mist or vapor. I ventilation. Wear appropriate Store locked up. Store in origin <b>Section 8 - Exp</b> Air Contaminants (29 CFR 1910. 10-73-2) alues	7 - Handlin Do not get in eyes, personal protective al tightly closed co DSURE CONT 1000) Type TWA Type Ceiling	ng and storag on skin, or on clothin e equipment. Observe ontainer. Store away fr rol/personal p Value 2 mg/m <sup>3</sup> Value 2 mg/m <sup>3</sup>	g. Avoid prolonged exposure. Provide adequate a good industrial hygiene practices. rom incompatible materials (see Section 10 of the rotection

Other Respiratory protection Thermal hazards General hygiene considerations If use of product risk exposure to contact, wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

#### **Section 9 - Physical and chemical properties**

Appearance					
Physical state	Liquid.				
Form	Clear, thin liquid.				
Color	Orange.				
Odor	Orange.				
Odor threshold	Not available.				
рН	13.3				
Melting point/freezing point	Not available.				
Initial boinging point and boiling range	212 °F (100 °C)				
Flash point	None to boiling.				
Evaporation rate	Not available.				
•					
Flammability (solid, gas) Not applicable.					
Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available.					
Flammability limit - upper (%)	Not available.				
Explosive limit - lower (%)	Not available.				
Explosive limit - upper (%)	Not available.				
Vapor pressure	Similar to water.				
Vapor density	Similar to water.				
Relative density	$1.03 \pm 0.01$				
Relative density temperature	75 °F (23.9 °C)				
Solubilities (water)	Completely soluble.				
Partition Coefficient n-	Not available				
octanol/water	Not available				
Auto-ignition temperature	Not Available				
Decomposition temperature	Not Available				
Viscosity	< 10 cSt				
Viscosity Temperature	75 °F (23.9 °C)				

#### **Section 10 - Stability and reactivity**

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Strong Acids, Acids, Oxidizing Agents.
Hazardous Decomposition Products	No hazardous decomposition products are known.

#### **Section 11 - Toxicological information**

Information on likely routes of e	exposure
Ingestion	Causes digestive tract burns.
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

#### Information on toxicological effects.

Acute toxicity	May cause an allergic skin reaction. May cause respiratory irritation.						
Components		Level	Туре	Code	Species	Results	
Sodium dimethylbenzen	esulfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg	
		Acute	Oral	LD50	Rat	7200 mg/kg	

rgenotoxic.
genotoxic.
endocrine
tied.

DG	
UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUT
Transport hazard class(es)	8
Packaging group	II

# UN1824 SODIUM HYDROXIDE SOLUTION

		UAI	LII DAIAC		
Environmental hazards Marine pollutant	No.				
EmS	F-A, S-B				
Special precautions for use	er Read safety instru	Read safety instructions, SDS and emergency procedures before handling.			
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/m	ixture is not ir	ntended to be transporte	d in bulk.	
	5	Section 1	15 - Regulatory	Information	
US federal regulations	•		hemical" as defined by t . EPA TSCA Inventory Lis	he OSHA Hazard Communication S t.	tandard, 29 CFR 1910.1200.
TSCA Section 12(b) Expor	t Notification (40 CFR7	07, Subpt. D)	Not regu	lated.	
US. OSHA Specifically Reg	gulated Substances (29	CFR 1910.100	01-1050) Not liste	ł	
CERCLA Hazardous Substa	ance List (40 CFR 302.4				
Components			Res	ult	
Sodium Hydro	xide (CAS 1310-73-2)		LIS	ED	
Superfund Amendments	and Reauthorization A	ct of 1986 (SA	ARA)		
Hazard Categories	Immediate Hazard	Yes			
I	Delayed Hazard	No			
I	Fire Hazard	No			
I	Pressure Hazard	No			
I	Reactivity Hazard	No			
SARA 302 Extremely haza		Not listed.			
SARA 311/312 Hazardous		Yes			
SARA 313 (TRI reporting)		Not regulate	d.		
Other federal regulations					
Clean Air Act (CAA) Section		-		Not regulated.	
Clean Air Act (CAA) Section			tion (40 CFR 68.130)	Not regulated.	
Safe Drinking Water Act (					
Food and Drug Administr	ation (FDA) Not regu	lated.			
US state regulations			<b>A A</b>		
US.Massachusetts RTK - S	Substance List		Components Sodium Hydroxide (C/	AS 1310-73-2)	
US.New Jersey Worker ar	nd Community Right-to	-Know Act	Components Sodium Hydroxide (CA	AS 1310-73-2)	
US.Pennsylvania RTK - Ha	azardous Substances		Components Sodium Hydroxide (C/	AS 1310-73-2)	
US.Rhode Island RTK			Components		

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories		
Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
<b>.</b>		

Sodium Hydroxide (CAS 1310-73-2)

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version					
<b>Revision date</b>	1/17/2021				
Version #	02				
HMIS Hazard Code	s	PPE A			

#### Disclaimer

### SAFETY DATA SHEET

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.